

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5431794	(dynamic or chang\$4 or updat\$4) or (program or module or storage) with (load\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 14:51
L2	34465	I1 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 14:51
L3	1941956	((dynamic or chang\$4 or updat\$4) or (program or module or storage) with (load\$4)).ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 14:52
L4	6027	I3 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 14:52
L5	606	((dynamic or chang\$4 or updat\$4) near3 (program or module or storage) near3 (load\$4)).ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 14:52
L6	4	I5 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 14:53
S1	3298	709/220	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:07
S2	2171	709/221	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:07

S3	6437	709/223	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:07
S4	6632	709/224	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:07
S5	2100	709/246	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:07
S6	14914	S1 or S2 or S3 or S4 or S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:07
S7	0	S6 and (((delet\$5 or replac\$5 or modify\$5) near2 code) with (device adj (identifier or information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:10
S8	4	((delet\$5 or replac\$5 or modify\$5) near2 code) with (device adj (identifier or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:12
S9	12	san with address adj space	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:10
S10	0	dynamic adj code with (replac\$5 or modif\$7) with san	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:14

S11	26	dynamic adj code with (replac\$5 or modif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:15
S12	0	san with identifiers and (dynamic near2 code) with (replac\$5 or modif\$7 or delet\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:32
S13	0	(san with identifiers) and ((dynamic near2 code) with (replac\$5 or modif\$7 or delet\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:32
S14	19	san and ((dynamic near2 code) with (replac\$5 or modif\$7 or delet\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:33
S15	0	san same ((dynamic near2 code) with (replac\$5 or modif\$7 or delet\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:33
S16	5465	((updat\$ or upgrad\$ or reconfig\$ or configur\$) and (software or version or program)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 13:28
S17	136	S16 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 13:29
S18	81	S16 and "709"/\$.ccls.	USPAT	OR	ON	2005/02/01 13:30
S19	17	S18 and san	USPAT	OR	ON	2005/02/01 13:31
S20	2	S18 and storage adj area adj network	USPAT	OR	ON	2005/02/01 13:32
S21	0	san with device adj identifier\$ with modules	USPAT	OR	OFF	2005/02/01 14:29
S22	0	san with device adj identifier\$ with address	USPAT	OR	OFF	2005/02/01 14:30

S23	2	san with device adj identifier\$	USPAT	OR	OFF	2005/02/01 16:24
S24	10	san with device adj identifier\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:38
S25	0	san with upgrad4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:38
S26	1	"6151643".pn.	USPAT	OR	OFF	2005/02/01 16:25
S27	2	"6735766".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 13:03
S28	2	"6697875".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 13:03